

# SPANNER



**LK2001**

## ADJUSTABLE WRENCH

- Size :
- 4" /100mm
  - 6" /150mm
  - 8" /200mm
  - 10" 250mm
  - 12" /300mm
  - 15" /375mm
  - 18" /450mm
- ▶ Forged carbon steel
  - ▶ Hardened
  - ▶ Chrome plated/satin nickel plated/satin chrome plated/black nickel plated/lacquer pating/black finish and head polished



**LK2002**

## PROFESSIONAL ADJUSTABLE WRENCH

- Size :
- 6" /150mm
  - 8" /200mm
  - 10" 250mm
  - 12" /300mm
- ▶ Made of carbon steel/Cr-v steel
  - ▶ Matte chrome-plated
  - ▶ With non-slip injection plastic handle
  - ▶ Hardened and milled jaws
  - ▶ Precise duct of snail-wheel
  - ▶ With scale on the fixed jaws



**LK2003**

## ADJUSTABLE WRENCH

- Size :
- 2.5" /60mm
  - 4" /100mm
  - 6" /150mm
  - 8" /200mm
  - 10" 250mm
  - 12" /300mm
  - 15" /375mm
  - 18" /450mm
- ▶ Forged carbon steel
  - ▶ Hardened
  - ▶ Chrome plated/satin nickel plated/satin chrome plated/black nickel plated/lacquer pating/black finish and head polished



**LK2004**

## PROFESSIONAL ADJUSTABLE WRENCH

- Size :
- 6"
  - 8"
  - 10"
  - 12"
- ▶ Made of carbon steel/Cr-v steel
  - ▶ Matte chrome-plated
  - ▶ With non-slip injection plastic handle
  - ▶ Hardened and milled jaws
  - ▶ Precise duct of snail-wheel
  - ▶ With scale on the fixed jaws



**LK2005**

## ADJUSTABLE WRENCH

- Size :
- 4" /100mm
  - 6" /150mm
  - 8" /200mm
  - 10" 250mm
  - 12" /300mm
  - 15" /375mm
- ▶ Forged carbon steel
  - ▶ Hardened
  - ▶ Black phosphate finish
  - ▶ With scale on the fixed jaws



**LK2006**

## PROFESSIONAL ADJUSTABLE WRENCH

- Size : 6" ,8" ,10" ,12"
- ▶ Made of carbon steel/Cr-v steel
  - ▶ Matte chrome-plated
  - ▶ With 2 colors non-slip injection plastic handle
  - ▶ Hardened and milled jaws
  - ▶ Precise duct of snail-wheel
  - ▶ With scale on the fixed jaws



**LK2007**

## HEAVY DUTY ADJUSTABLE WRENCH

- Size :
- 4" /100mm
  - 6" /150mm
  - 8" /200mm
  - 10" 250mm
  - 12" /300mm
- ▶ Forged carbon steel
  - ▶ Hardened
  - ▶ Chrome plated
  - ▶ With matte dipped handles



## PROFESSIONAL ADJUSTABLE WRENCH

- ▶ Made of Cr-v steel
- ▶ Black nickel plated
- ▶ With 2 colors non-slip injection plastic handle
- ▶ Hardened and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws
- ▶ Middle hex hole
- ▶ Hanging hole can be used as an offset ring spanner



**LK2008**

Size : 6"、8"、10"、12"

opening width can be adjusted within a certain size, can turn to different specifications of the bolt or nut. The structure feature of the wrench is made flat pliers with a fine-tooth fixed jaw concave; Activity made flat jaw jaw end; At the other end is made with a serrated concave jaw; Press down and worm, jaw can be quickly removed, change the jaw position.



**LK2009**

Size : 6"、8"、10"、12"

## 3PCS ADJUSTABLE WRENCH SET

- ▶ Made of carbon steel
- ▶ Matte chrome-plated
- ▶ With handle
- ▶ Hardened and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws
- ▶ Double blister card



**LK2010** Size : 6"、8"、10"



## STUBBY ADJUSTABLE WRENCH

- ▶ Made of Cr-v steel
- ▶ Head fine polished
- ▶ With 2 colors non-slip injection plastic handle
- ▶ Whole wrench is heat-treated and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws
- ▶ Bigger jaw opening with laser carved scale
- ▶ Compact wrench body fit to small working space

**LK2011** Size : 6"



## 3PCS ADJUSTABLE WRENCH SET

- ▶ Made of carbon steel
- ▶ matte chrome-plated
- ▶ With non-slip injection plastic handle
- ▶ Hardened and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws
- ▶ double blister card with tie


**LK2012** Size : 6"、8"、10"

## PROFESSIONAL ADJUSTABLE WRENCH

- ▶ Made of Cr-v steel
- ▶ Head fine polished
- ▶ With 2 colors non-slip injection plastic handle
- ▶ Whole wrench is heat-treated and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws
- ▶ Bigger jaw opening with laser carved scale
- ▶ Torque up to ANSI standard



**LK2013** Size : 6"、8"、10"、12"





# SPANNER



## PROFESSIONAL ADJUSTABLE WRENCH

- ▶ Made of Cr-v steel
- ▶ Heavy duty head
- ▶ Satin nickel plated
- ▶ With non-slip injection plastic handle
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws
- ▶ Middle hex hole

**LK2014** Size : 6", 8", 10", 12"



## PROFESSIONAL ADJUSTABLE WRENCH

- ▶ Made of Cr-v steel
- ▶ Black finish
- ▶ With 2 colors non-slip injection plastic handle
- ▶ Hardened and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws

**LK2015** Size : 6", 8", 10", 12"



## PROFESSIONAL ADJUSTABLE WRENCH

- ▶ Made of Cr-v steel
- ▶ Satin chrome plated
- ▶ With 2 colors non-slip injection plastic handle
- ▶ Hardened and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws
- ▶ Bigger jaw opening with laser carved scale
- ▶ Torque up to ANSI standard

**LK2016** Size : 6", 8", 10", 12"



Tooth surface and tooth surface amphibious bite mouth, wide range of USES

## STUBBY ADJUSTABLE WRENCH

- ▶ Made of forged carbon steel
- ▶ Black finish & polished head
- ▶ With non-slip injection plastic handle
- ▶ Hardened and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws

**LK2017**

Size : 6"



## STUBBY ADJUSTABLE WRENCH

- ▶ Made of forged carbon steel
- ▶ Black finish & polished head
- ▶ With non-slip injection plastic handle
- ▶ Hardened and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws

**LK2018**

Size : 6"



## STUBBY ADJUSTABLE WRENCH

- ▶ Made of forged carbon steel
- ▶ Black finish & polished head
- ▶ With 2 components non-slip injection plastic handle
- ▶ Hardened and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws
- ▶ Bigger jaw opening with laser carved scale

**LK2019**

Size : 6"



## STUBBY ADJUSTABLE WRENCH

- ▶ Made of forged carbon steel
- ▶ Black finish & polished head
- ▶ With non-slip injection plastic handle
- ▶ Hardened and milled jaws
- ▶ Precise duct of snail-wheel
- ▶ With scale on the fixed jaws

**LK2020**

Size : 6"



Teeth knocked down, or so all can use



Tooth surface protective sleeve

## OPEN END WRENCH


Such wrench with U at the end of open, convenient and hold two side of the bolt or nut; Such wrench is usually double head, each have different size of openings.



## Open end wrench in the usage and technical characteristic

Screw machinery mainly fasteners, open wrench is mechanical industry processing, production, an important tool for repair, the project is a revolution to the traditional plate of hand tools, it has the following advantages.

- 1 quick work, work speed than traditional plate is three to four times faster than a fast plate, hand speed.
- 2 an open end wrench can be used in 2 - 6 specifications of the screw, and a double wooden hand only 2 screws.
- 3 long service life, not bad, but quick wrench is easily broken.
- 4 the manufacturing process is simple, the cost is lower than that of wooden hand.
- 5 light weight, easy to carry, easy work.




**LK2021**

Size : 6×7 18×19  
8×9 20×22  
10×11 21×23  
12×13 24×27  
14×15 25×28  
16×17 30×32

## DOUBLE OPEN END WRENCH

- ▶ Forged carbon steel/chrome vanadium steel
- ▶ With raised panel/recessed panel/fully polished
- ▶ Hardened
- ▶ Chrome-Plated



**LK2022**

12PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27, 25×28, 30×32MM  
10PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27MM

## DOUBLE OPEN END WRENCH SET

- ▶ Forged carbon steel
- ▶ With fully polished
- ▶ Hardened
- ▶ Chrome-Plated
- ▶ In PVC pouch

6PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17MM

8PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22MM

10PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27MM



## DOUBLE OPEN END WRENCH SET

- ▶ Forged carbon steel
- ▶ With fully polished with dipped handle
- ▶ Hardened
- ▶ Chrome-Plated
- ▶ In PVC pouch

**LK2023**

8PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22MM

10PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27MM

6PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17MM

12PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27, 25×28, 30×32MM

## DOUBLE OPEN END WRENCH SET

- ▶ Forged chrome vanadium steel
- ▶ With recessed panel
- ▶ Hardened
- ▶ Chrome-Plated
- ▶ In plastic holder



**LK2025**

## STUBBY TYPE DOUBLE OPEN END WRENCH SET

- ▶ Forged carbon steel
- ▶ With mirror ploished
- ▶ Chrome-Plated
- ▶ In plastic holder

**LK2024**

Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17MM





# SPANNER

## The ring wrench used and technical characteristics

Ring spanner, is the equipment installation, plant and equipment repair and maintenance of necessary tools in the work.

Ring spanner are divided into two kinds of metric and imperial.

Ring spanner features: ring spanner by the overall quality of medium carbon steel or high quality alloy steel forging and become, has a reasonable design, stable structure, high density of the material, resistance to strike capability is strong, do not fold, constantly, do not bend, product size precision, durable, etc.

Ring spanner purpose: large industrial single head ring spanner is applicable to petroleum, chemical industry, metallurgy, power generation, refinery, shipbuilding, petrochemicals, machinery and other industries.



## DOUBLE RING WRENCH

Such wrench are enclosed at the end of open, can hold all edges of bolts or nuts. Enclosed openings usually hexagonal or dodecagon, can turn the hexagonal bolt or nut; Including dodecagon openings to the twelve point of trapping bolts or nuts, especially useful in narrow space. Other types of mouths wrench including hexagonal openings, the plum flower form open, etc.

## DOUBLE RING WRENCH SET

- ▶ Forged carbon steel
- ▶ With fully polished
- ▶ Hardened
- ▶ Chrome-Plated
- ▶ In PVC pouch

6PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17MM

8PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22MM

10PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27MM

## 5PCS DOUBLE RING GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polishedchrome plated,plastic holder packing

Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19

## 6PCS DOUBLE RING WRENCH SET

- ▶ Forged carbon vanadium steel
- ▶ With recessed panel
- ▶ Hardened
- ▶ Chrome-Plated
- ▶ In plastic holder



LK2030



LK2026

## DOUBLE RING WRENCH

- ▶ Forged carbon steel/chrome vanadium steel
- ▶ With raised panel/recessede panel/fully polished
- ▶ Hardened
- ▶ Chrome-Plated

Size : 6×7 18×19  
8×9 20×22  
10×11 21×23  
12×13 24×27  
14×15 25×28  
16×17 30×32



LK2027

12PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27, 25×28, 30×32MM



## FLEXIBLE DOUBLE RING GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated,packed in blow mould case

LK2028

Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19

## 5PCS DOUBLE RING GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polishedchrome plated,plastic holder packing

Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19

8PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22MM

10PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27MM

6PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17MM

12PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 21×23, 24×27, 25×28, 30×32MM



## STUBBY TYPE DOUBLE RING WRENCH SET

- ▶ Forged carbon steel
- ▶ With mirror polished
- ▶ Chrome-Plated
- ▶ In plastic holder

LK2031

Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17MM



## REVERSIBLE DOUBLE RING GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated,packed in pouch

LK2032

Size : 8×9, 10×11, 12×13, 14×15, 16×17, 18×19



## 5PCS DOUBLE RING GEAR WRENCH SET

- ▶ Made of #40Cr-v steel
- ▶ Dropped forged and heat treatmet
- ▶ fully polished chrome plated
- ▶ 12 edges ring,black finish,72 teeth

LK2034

Size : 6×8, 10×11, 12×13, 14×15, 18×19MM

## DOUBLE RING GEAR WRENCH

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated

LK2033

Size : 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 23×24



## DOUBLE RING GEAR WRENCH

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated

Size : 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 23×24



LK2035


## REVERSIBLE DOUBLE RING GEAR WRENCH

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated

## REVERSIBLE DOUBLE RING GEAR WRENCH

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated


Size : 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 23×24



LK2036

LK2037

Size : 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22, 23×24





# SPANNER

## combination wrench

Such a wrench for the double-headed wrench, one end is open, the other end is silent; Two heads at the same size.

## The combination wrench used and technical characteristics

Use combination wrench: dual-use wrenches applied to petroleum and chemical industry, metallurgy, power generation, oil refining, shipbuilding, petrochemical and other industries with large industrial. Is the equipment installation, equipment and equipment maintenance, repair work necessary tools. Dual-purpose wrench into metric and imperial two. Combination wrench material: carbon steel or alloy 40Cr dual-purpose spanner with No. 45 steel integral forging production.

Combination wrench manufacturing standards: GB/T4392-1995 (tap wrench and a wrench).


Features: combination wrench spanner is made of high quality carbon steel or alloy steel integral forged, with reasonable design, stable structure, high density, high resistance to attack ability, don't break, continue, no bending, product size precision, durability and other characteristics.



## COMBINATION WRENCH

- ▶ Forged carbon steel/chrome vanadium steel
- ▶ With raised panel/recessed panel /fully polished
- ▶ Hardened
- ▶ Chrome-Plated

**LK2038**



Size : 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32


## DEEP OFFSET COMBINATION WRENCH

- ▶ Forged carbon steel/chrome vanadium steel
- ▶ Hardened
- ▶ Chrome-P

**LK2039**



Size : 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32



## COMBINATION WRENCH SET

- ▶ Forged carbon steel
- ▶ With fully polished
- ▶ Hardened
- ▶ Chrome-Plated
- ▶ In PVC puch

**LK2040**

6PCS Size : 8-10-11-12-14-17MM  
8PCS Size : 6-8-10-12-14-17-19-22MM  
10PCS Size : 8-9-10-11-12-14-17-19-22-24MM  
12PCS Size : 6-8-10-12-14-17-19-22-24-27-32MM

## COMBINATION WRENCH SET

- ▶ Forged chrome vanadium steel
- ▶ With recessed panel
- ▶ Hardened
- ▶ Chrome-Plated
- ▶ In plastic holder

**LK2041**

6PCS Size : 8-10-11-12-14-17MM  
8PCS Size : 8-9-10-12-14-17-19MM  
10PCS Size : 8-9-10-11-12-13-15-17-19-22MM  
12PCS Size : 6-7-8-9-10-11-12-13-14-17-19-22MM



## STUBBY TYPE COMBINATION WRENCH SET

- ▶ Forged chrome vanadium steel
- ▶ With recessed panel
- ▶ Hardened
- ▶ Chrome-Plated
- ▶ In plastic holder

**LK2041**

Size : 8-10-12-14-17-19MM



## 7PCS METRIC STUBBY COMBINATION WRENCH SET

- ▶ Drop forged chrome vanadium steel,hardened & tempered for high strength and durability
- ▶ Mirror ploished,chrome plated
- ▶ Mini type for easy working
- ▶ Packed in double blister card with tray

**LK2043**

Size : 8,10,11,12,13,14,15mm



## 6PCS FLARE NUT SPANNER

- ▶ Professional quality
- ▶ Bent head for easy working
- ▶ Drop forged carbon steel
- ▶ Fully polished and chrome plated
- ▶ Packing in plastic holder

**LK2044**

Size : 6×8mm, 10×11mm, 12×14mm, 6×17mm, 18×19mm, 22×24mm



## FLARE NUT WRENCH

- ▶ Drop forged chrome vanadium steel
- ▶ Sand blasting and chrome plated
- ▶ HEXAGON TYPE/RING TYPE HEAD

Size : 6×8mm, 10×11mm, 12×14mm, 6×17mm, 18×19mm, 22×24mm

**LK2047**



## 6PCS FLEXIBLE COMBINATION SOCKET WRENCH SET

- ▶ Professional quality
- ▶ Drop forged carbon steel
- ▶ Head polished ,expert stain chrome plated raised panel
- ▶ Socket head 180° adjustable for easy working

**LK2045**

Size : 10mm, 12mm, 13mm, 14mm, 19mm



## 5PCS DOUBLE FLEXIBLE SOCKET WRENCH SET

- ▶ High quality tool steel
- ▶ Satin chrome plated
- ▶ Socket heads polished
- ▶ Expert hardened
- ▶ 180° adjustable for easy working
- ▶ Packing in plastic holder

**LK2046**

Size : 8×9mm, 10×11mm, 12×13mm, 14×15mm, 17×19mm



## REVERSIBLE GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated

**LK2048**

Size : 8-10-12-13-14-17





# SPANNER

## GEAR WRENCH

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated

Size : 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32

**LK2049**

## FLEXIBLE GEAR WRENCH

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated

Size : 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32

**LK2050**

## 7PCS GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated,canvas bag packing

**LK2051** Size : 8-10-12-13-14-15-18mm

## GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated,plastic holder packing

5PCS Size : 8-10-12-13-14mm

7PCS Size : 8-10-12-13-14-17-19mm

**LK2052**



## 5PCS FLEXSIBLE GEAR WRENCH SET

- ▶ Drop forged caron steel body mirror polished,chrome plated, alloy steel ratchet,hardened for high torque
- ▶ 72 teeth for ratchet gear & flexible head ,fast tightening and high torque tranfer
- ▶ Packed in plastic case

**LK2057**

Size : 10mm, 12mm, 13mm, 14mm, 17mm



8PCS Size : 8-10-11-12-14-16-17-19mm

12PCS Size : 8-9-10-11-12-13-14-15-16-17-18-19mm

## GEAR WRENCH

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated,plastic holder packing

5PCS Size : 8-10-12-13-14mm

6PCS Size : 8-10-12-13-14-17-mm

**LK2053**



8PCS Size : 8-10-11-12-14-16-17-19mm

12PCS Size : 8-9-10-11-12-13-14-15-16-17-18-19mm

## GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated,plastic holder packing

5PCS Size : 8-10-12-13-14mm

6PCS Size : 8-10-12-13-14-17mm

**LK2054**

## GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished satin chrome plated/mirror polished chrome plated,plastic holder packing

5PCS Size : 8-10-12-13-14mm

7PCS Size : 8-10-12-13-14-17-19mm

**LK2055**

## 5PCS GEAR WRENCH SET

- ▶ Drop forged caron steel body mirror polished,chrome plated, alloy steel ratchet,hardened for high torque
- ▶ 72 teeth for ratchet gear,fast tightening and high torque tranfer
- ▶ Packed in plastic case

**LK2056**

Size : 10mm, 12mm, 13mm, 14mm, 17mm



## 8PCS GEAR WRENCH SET

- ▶ Cr-V steel material with heat treatment
- ▶ 72 teeth
- ▶ Fully polished and chrome plated/mirror polished
- ▶ Packed in plastic tray with holder & tie.

**LK2058**

Metric : 8mm,10mm,12mm, 13mm,14mm,16mm,17mm, 19mm

SAG : 5/16" ,3/8" ,7/15" , 1/2" ,9/16" ,5/8" ,11/16" , 3/4" ,2



## 12PCS GEAR WRENCH SET

- ▶ Blow mould case packing

8-10-12-13-17-19mm gear wrench Adaptor(hexagon to square) 10mm-1/4" ,13mm-3/8" ,19mm-1/2" Adaptor(Square to Hexagon) 1/4" -1/4" , -3/8" -5/6" ,1/2" -10MM

**LK2059**



## 10PCS GEAR WRENCH SET

- ▶ Professional quality
- ▶ Drop forged tool steel,fully polished and chrome plated panel
- ▶ Gear hardened and black finished
- ▶ With 45 teeth for improving working efficiency
- ▶ With 4pcs adaptors
- ▶ Packed in blow mould case

**LK2060**

Size : 8-10-13-14-17-19MM



## 10PCS FLEXIBLE GEAR WRENCH SET

- ▶ Drop forged carbon steel body,fully polished and chrome plated panel.
- ▶ Alloy steel ratchet,hardened for high torque
- ▶ Flexible head for more convenient working and will be improve the working efficiency highly.
- ▶ The ideal wrench for getting into different spaces
- ▶ With 4pcs adaptors
- ▶ Packed in blow mould case

**LK2061**

Size : 8-10-13-14-17-19MM



## 7PCS GEAR WRENCH SET

- ▶ #40 chrome steel
- ▶ #50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished and chrome plated/mirror polished

**LK2062**

Size : 8-10-11-12-14-17-19MM



- ▶ #40 chrome steel
- ▶ #50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished and chrome plated /mirror chrome plated

**LK2063**

Size : 8-10-12-13-14-17 -19-21-22-24-27-30-32MM



# SPANNER



## 13PCS FLEXIBLE GEAR WRENCH SET

- ▶ #40 chrome steel
- ▶ #50 chrome vanadium steel gear
- ▶ 72 teeth
- ▶ Fully polished and chrome plated/mirror polished chrome plated

**LK2064**

Size : 8-10-12-15-16-17-19-22-24MM  
3pcs adapter 1/4" ,3/8" ,1/2"

## 13PCS FLEXIBLE GEAR WRENCH SET

- ▶ #40 chrome steel,#50 chrome vanadium steel gear,72 teeth,fully polished satin chrome plated/mirror polished chrome plated



**LK2066**

Size : 8-9-10-11-12-13-14-15-26-17-18-19MM



## 6PCS GEAR WRENCH SET

- ▶ Drop forged carbon steel body,fully polished and chrome plated panel.
- ▶ Alloy steel ratchet,hardened for high torque
- ▶ Flexible head for more convenient working and will be improve the working efficiency highly.
- ▶ The ideal wrench for getting into different spaces
- ▶ Packed in blow mould case

**LK2065**

Size:8mm,10mm,13mm,14mm,17mm,19mm

## 6 PIECES GEAR WRENCH SET

- ▶ Forged carbon steel body,Cr-v steel gear part with heat treatment
- ▶ Polished and chrome plated in metal clip



**LK2067**

Size : 10×11mm, 12×13mm, 14×15mm, 16×17, 18×19mm, 20×22mm



## 6PCS FLEXIBLE GEAR WRENCH SET

- ▶ Drop forged carbon steel body, mirror polished,chrome plated, alloy steel ratchet,hardened for high torque
- ▶ 72teeth for ratchet gear,fast tightening and high torque tranfer

Size:8,10,13,14,17,19mm

## 5PCS ULTRA-SHOPT GEAR WRENCH

- ▶ Polished,with 45 teeth,body made of carbon steel and teeth made of 40Cr,plated
- ▶ Packed on plastic holder

**LK2068**

Size : 10-12-13-17-19MM



## 5PCS ULTRA-SHOPT FLEXSBILE GEAR WRENCH

- ▶ #40 chrome steel,#50 chrome vanadium steel gear
- ▶ 72 teeth,fully polished satin

**LK2069**

Size : 8-10-13-14-17MM



## QUICK WRENCH

- ▶ Chrome vanadium steel jaws,heat treatment,carbon steel body,black finish,2 dipped handle,adjustable size jaws

**LK2070**



Max work size : 21MM



## 5PCS RATCHET SPANNER SET

- ▶ Reversible ratchet ring head in each end
- ▶ Chrome plated
- ▶ In plastic holder

**LK2071**

Size : 6×8, 10×12, 11×13, 14×17, 19×21MM

## RATCHET SPANNER SET

- ▶ Reversible
- ▶ Chrome-plated
- ▶ With plastic surround
- ▶ 25 degree head for easy using
- ▶ Packed in double blister

**LK2072**

3PCS Size : 10×12,11×13,14×17MM  
5PCS Size : 6×8,10×12,11×13,14×17, 19×21MM

## RATCHET SPANNER SET

- ▶ Reversible
- ▶ Chrome-plated
- ▶ With plastic surround
- ▶ 25 degree head for easy using
- ▶ Packed in double blister

**LK2073**

3PCS Size : 10×12,11×13,14×17MM  
5PCS Size : 6×8,10×12,11×13,14×17, 19×21MM



## STRAIGHT TAIL GEAR SOCKET WRENCH

- ▶ Professional quality
- ▶ Drop forged tool steel
- ▶ Fine sand blasting and black finish
- ▶ Gear reversible,hardened

**LK2074**

Size : 10×12mm-12×14mm-13×17mm-14×17mm-17×19mm-19-21mm



## STRAIGHT TAIL GEAR SOCKET WRENCH

- ▶ Professional quality
- ▶ Drop forged tool steel
- ▶ Fine sand blasting and black finish
- ▶ Gear reversible,hardened

**LK2076**

Size : 10×12mm-12×14mm-13×17mm-14×17mm-17×19mm-19-21mm





## OPEN END SLOGGING WRENCH

- ▶ Forged #50 chrome vanadium steel,hardened
- ▶ Sand blasting and black finish

**LK2075**

Size : 24,27,30,32,36,41,46,50, 55,60,65,70,75








## RING SLOGGING WRENCH

- ▶ #50 chrome vanadium steel ,hardened,sand blasting and black finish

**LK2077**

Size : 24,27,30,32,36,41,46,50, 55,60,65,70,75





# SPANNER



## OPEN END SPANNER

- ▶ Forged carbon steel, heat treatment, black finish

**LK2078**

Size : 10,12,13, 14,17,19,22,24, 25,27,30,32,35, 36,38,41,46,50, 55,60,65,70,75



## TUBLAR BOX SPANNER

- ▶ Carbon steel tube with chrome plated
- ▶ Punched round hole
- ▶ Sliding card packing/In PVC pouch

**LK2082**

6PCS Size : 8×9, 10×11, 12×13, 14×15, 16×17MM  
10PCS Size : 6×7, 8×9, 10×11, 12×13, 14×15, 16×17, 18×19, 20×22MM



## TUBLAR SOCKET WRENCH

- ▶ Made of #40 Cr-v steel
- ▶ Drop forged and heat treatment
- ▶ Fully polished chrome plated

**LK2079**


5PCS Size : 6×7,8×9,10×11,12×13,14×15, 16×17, 18×19, 20×22,21×23, 24×26, 25×28,30×32

## LONG T-TYPE WRENCH

- ▶ Made of carbon steel
- ▶ Drop forged and heat treatment
- ▶ Socket fully polished
- ▶ Handle sand blasting chrome plated

**LK2080**

Size : 16mm,20.8mm



## CROSS RIM WRENCH WITH IRON PAD

- ▶ Forged carbon steel, heat treatment, fully polished, chrome plated

**LK2081**

Size : 14", 15", 20", 30"



## SPARK PLUG WRENCH

- ▶ Cast iron, fully polished chrome plated
- ▶ With T-handle
- ▶ PVC dipped covered
- ▶ With/without spring

**LK2083**

Size : 16mm,20.8mm,16-20.8mm

## FOLDING 4-WAY RIM WRENCH

- ▶ Made of carbon steel
- ▶ Drop forged with heat treatment
- ▶ Fully polished chrome plated

**LK2084**

Size : 7", 14"



## Y-TYPE WRENCH

- ▶ Made of carbon steel
- ▶ Drop forged and heat treatment
- ▶ Socket fully polished
- ▶ Handle sand blasting chrome plated

**LK2085**

Size : 8×9×10, 9×11×13, 10×12×14, 10×14×17, 12×14×17

## CROSS RIM WRENCH WITH DIPPED HANDLE

- ▶ Forged carbon steel, heat treatment, fully polished, 3 socket bits + 1 socket holder, dipped handle

**LK2086**

Size : 14", 16", 20"



## CROSS RIM WRENCH

- ▶ Forged carbon steel, heat treatment, fully polished, silver lacquer finish, GS certificate

**LK2087**

Size : 14", 15", 20"



## EXTENDABLE LUG WRENCH

- ▶ 1/2" square driver with rubber grip adjustable 350mm to 550mm reversible socket 17×19mm

**LK2088**

Size : (17×19)×350-550

## S TYPE TYPE DOUBLE RING SPANNER

- ▶ Drop forged carbon steel/chrome vanadium steel
- ▶ Sand blasting and chrome plated
- ▶ 45#/CRV

Size : 10×11-12×13-14×15-16×17-18×19MM

**LK2089**



## U TYPE DOUBLE RING WRENCH

- ▶ Drop forged carbon steel/chrome vanadium steel
- ▶ Sand blasting and chrome plated

**LK2090**


Size : 8×10-11×13-14×15-17×19-21×22MM



## Wrench to maintain

Spanner when using knock, fall off, throw. Use to maintain clean and dry, after well in the toolbox or receive a bag. Steel spanner is antioxidant generally will not rust, iron is proper daub some lithium base grease maintenance

## Booster using method



## ADJUSTABLE AUTO WRENCH

- ▶ Forged carbon steel
- ▶ Chrome-plated

**LK2091**

Size : 230MM/280MM/375MM




## L-TYPE WITH WRENCH HOLE

- ▶ Forged carbon steel
- ▶ chrome-plated


**LK2092**

Size : 6,7,8,9,10,11,12,13,14,15,16, 17,18,19,20,21,22,23,24,27,30,32,36

Clockwise locking workpiece



Relax the counter clockwise direction



Reaction arm without resist materialst

## L-TYPE WRENCH WITH CROWBAR

- ▶ Made of carbon steel
- ▶ Drop forged and heat treatment
- ▶ Socket fully polished
- ▶ Handle sand blasting chrome plated

**LK2093**

Size : 14MM,17MM,19MM,21MM, 22MM,23MM,24MM,26MM,27MM



- 1, please do not use any of the extension of original lever.
- 2, after using the torque wrench to adjust the torque value to the minimum.
- 3, do not use the torque wrench as other tools.
- 4, please first before use the torque wrench as a "load".
- 5, please keep the torque wrench is clean and complete.
- 6, please do not make the torque wrench "load".
- 7, please regularly check the torque wrench