

Nice Shape, High Quality



Power Brushes



CUP BRUSHES

Mod.18 Twisted Knot Cup Brushes



 for Angle grinder  Wear eye protection!

Dia	Arbor Hole	Trim Length	Max RPM	Code	number of knots	Steel			Stainless Steel		Inner		Master carton
						0.35	0.5	0.8	0.35	0.5	Color box	Blister	
65 (2 1/2")	16	15	12500	18065.16	16	135	150	-	435	450	1	5	60
	M10x1.50	15	12500	18065.50	16	135	150	-	435	450	1	5	60
	M14x2	15	12500	18065.14	16	135	150	-	435	450	1	5	60
	5/8"-11UNC	15	12500	18065.58	16	135	150	-	435	450	1	5	60
75 (3")	16	20	12500	18075.22	18	135	150	-	435	450	1	5	60
	M14x2	20	12500	18075.14	18	135	150	-	435	450	1	5	60
	5/8"-11UNC	20	12500	18075.58	18	135	150	-	435	450	1	5	60
80 (3 1/4")	16	20	8500	18080.22	22	135	150	180	435	450	1	5	20
	M14x2	20	8500	18080.14	22	135	150	180	435	450	1	5	20
	5/8"-11UNC	20	8500	18080.58	22	135	150	180	435	450	1	5	20
90 (3 1/2")	16	23	8500	18090.22	22	135	150	180	435	450	1	5	20
	M14x2	23	8500	18090.14	22	135	150	180	435	450	1	5	20
	5/8"-11UNC	23	8500	18090.58	22	135	150	180	435	450	1	5	20
100 (4")	22.2	23	8500	18100.22	26	135	150	180	435	450	1	5	20
	M14x2	23	8500	18100.14	26	135	150	180	435	450	1	5	20
	5/8"-11UNC	23	8500	18100.58	26	135	150	180	435	450	1	5	20
120 (4 3/4")	22.2	23	6500	18120.22	30	135	150	180	435	450	1	5	10
	M14x2	23	6500	18120.14	30	135	150	180	435	450	1	5	10
	5/8"-11UNC	23	6500	18120.58	30	135	150	180	435	450	1	5	10

* Item No. = Code + wire code
For example, 18065.16135 means Mod.18, Dia(65mm). Arbor hole(16mm) + Steel wire 0.35mm(135)



CUP BRUSHES

Mod.12 Twisted Knot Bowl Cup Brushes



Dia	Arbor Hole	Trim Length	Max RPM	Code	number of knots	Steel			Stainless Steel		Brass	Inner		Master carton
						0.35	0.5	0.8	0.35	0.5	0.5	Color box	Blister	
65 (2 1/2")	16	16	12500	12065.16	16	135	150		435	450	550	1	5	60
	M10x1.50	16	12500	12065.50	16	135	150		435	450	550	1	5	60
	M14x2	16	12500	12065.14	16	135	150		435	450	550	1	5	60
	5/8"-11UNC	16	12500	12065.58	16	135	150		435	450	550	1	5	60
75 (3")	16	18	12500	12075.22	18	135	150	180	435	450	550	1	5	60
	M10x1.50	18	12500	12075.50	18	135	150	180	435	450	550	1	5	60
	M14x2	18	12500	12075.14	18	135	150	180	435	450	550	1	5	60
	5/8"-11UNC	18	12500	12075.58	18	135	150	180	435	450	550	1	5	60
90 (3 1/2")	M14x2	25	10000	12090.14	18	135	150	180	435	450	550	1	5	30
	5/8"-11UNC	25	10000	12090.58	18	135	150	180	435	450	550	1	5	30
100 (4")	M14x2	22	8500	12100.14	26	135	150	180	435	450	550	1	5	30
	5/8"-11UNC	22	8500	12100.58	26	135	150	180	435	450	550	1	5	30
125 (5")	M14x2	22	6500	12125.14	30	135	150	180	435	450		1	5	20
	5/8"-11UNC	22	6500	12125.58	30	135	150	180	435	450		1	5	20
150 (6")	M14x2	30	6500	12150.14	32	135	150	180	435	450		1	5	20
	5/8"-11UNC	30	6500	12150.58	32	135	150	180	435	450		1	5	20

* Item No. = Code + wire code
For example, 12065.16135 means Mod.12, Dia(65mm). Arbor hole(16mm) + Steel wire 0.35mm(135)

Mod.14 Twisted Knot Cup Brush Double Rows

Dia	Arbor Hole	Trim Length	Max RPM	Code	Steel	Inner Color box	Master carton
					0.5		
100 (4")	22.2	22	8500	14100.22	150	1	30
	M14x2	22	8500	14100.14	150	1	30
	5/8"-11UNC	22	8500	14100.58	150	1	30
125 (5")	22.2	22	6500	14125.22	150	1	10
	M14x2	22	6500	14125.14	150	1	10
	5/8"-11UNC	22	6500	14125.58	150	1	10
150 (6")	22.2	30	6500	14150.22	150	1	10
	M14x2	30	6500	14150.14	150	1	10
	5/8"-11UNC	30	6500	14150.58	150	1	10



CUP BRUSHES

Mod.11 Crimped Wire Cup Brushes




Dia	Arbor Hole	Trim Length	Max RPM	Code	Steel	Stainless Steel	Brass coated	Brass	Inner		Master carton
					0.3	0.3	0.3	0.3	Color box	Blister	
60 (2 3/8")	16	18	12500	11060.16	130	430	330	530	1	5	60
	M10x1.50	18	12500	11060.50	130	430	330	530	1	5	60
	M14x2	18	12500	11060.14	130	430	330	530	1	5	60
	5/8"-11UNC	18	12500	11075.58	130	430	330	530	1	5	60
75 (3")	M10x1.50	24	12500	11075.50	130	430	330	530	1	5	60
	M14x2	24	12500	11075.14	130	430	330	530	1	5	60
	5/8"-11UNC	24	12500	11075.58	130	430	330	530	1	5	60
90 (3 1/2")	M14x2	28	8500	11090.14	130	430	330	530	1	5	30
	5/8"-11UNC	28	8500	11090.58	130	430	330	530	1	5	30
100 (4")	16	28	8500	11100.22	130	430	330	530	1	5	30
	M14x2	28	8500	11100.14	130	430	330	530	1	5	30
	5/8"-11UNC	28	8500	11100.58	130	430	330	530	1	5	30
125 (5")	M14x2	30	6500	11125.14	130	430	330	530	1	5	20
	5/8"-11UNC	30	6500	11125.58	130	430	330	530	1	5	20
150 (6")	M14x2	34	6500	11150.14	130	430	330	530	1	5	10
	5/8"-11UNC	34	6500	11150.58	130	430	330	530	1	5	10

* Item No. = Code + wire code
For example, 11060.16130 means Mod.11, Dia(60mm). Arbor hole(16mm) + Steel wire 0.30mm(130)



BEVEL BRUSHES

Mod.22 Twisted Knot Bevel Brushes



- for Angle grinder
- Wear eye protection!


Dia	Arbor Hole	Trim Length	Max RPM	Code	number of knots	Steel		Stainless Steel	Inner		Master carton
						0.35	0.5		Color box	Blister	
100 (4")	M10x1.50	21	12500	22100.50	18	135	150	450	1	5	60
	M14x2	21	12500	22100.14	18	135	150	450	1	5	60
	5/8"-11UNC	21	12500	22100.58	18	135	150	450	1	5	60
115 (4 1/2")	M14x2	21	12500	22115.14	20	135	150	450	1	5	60
	5/8"-11UNC	21	12500	22115.58	20	135	150	450	1	5	60
125 (5")	M14x2	24	12500	22125.14	20	135	150	450	1	5	60
	5/8"-11UNC	24	12500	22125.58	20	135	150	450	1	5	60
150 (6")	M14x2	32	12500	22150.14	24	135	150	450	1	5	60
	5/8"-11UNC	32	12500	22150.58	24	135	150	450	1	5	60

* Item No. = Code + wire code
For example, 22100.50135 means Mod.22, Dia(100mm). Arbor hole(M10x1.50) + Steel wire 0.35mm(135)



BEVEL BRUSHES

Mod.21 Crimped Wire Bevel Brushes



- for Angle grinder
- Wear eye protection!


Dia	Arbor Hole	Trim Length	Max RPM	Code	Steel		Stainless Steel	Brass coated	Brass	Inner		Master carton
					0.2	0.3	0.3	0.3	0.3	Color box	Blister	
100 (4")	M10x1.50	22	12500	21100.50	120	130	430	330	530	1	5	60
	M14x2	22	12500	21100.14	120	130	430	330	530	1	5	60
	5/8"-11UNC	22	12500	21100.58	120	130	430	330	530	1	5	60
115 (4 1/2")	M14x2	22	12500	21115.14	120	130	430	330	530	1	5	60
	5/8"-11UNC	22	12500	21115.58	120	130	430	330	530	1	5	60
125 (5")	M14x2	27	12500	21125.14	120	130	430	330	530	1	5	60
	5/8"-11UNC	27	12500	21125.58	120	130	430	330	530	1	5	60
150 (6")	M14x2	32	9000	21150.14	120	130	430	330	530	1	5	60
	5/8"-11UNC	32	9000	21150.58	120	130	430	330	530	1	5	60

* Item No. = Code + wire code
For example, 21100.50120 means Mod.21, Dia(100mm). Arbor hole(M10x1.50) + Steel wire 0.20mm(120)



WHEEL BRUSHES

Mod.92 Twisted Knot Wheel Brushes w/Thread
Standard Twist



for Angle grinder
 Wear eye protection!


Dia	Arbor Hole	Trim Length	Max RPM	number of knots	Code	Steel		Stainless Steel		Inner		Master carton
						0.35	0.5	0.35	0.5	Color box	Blister	
100 (4")	M10x1.50	20	12500	18	92100.50	135	150	435	450	1	5	60
	M14x2	20	12500	18	92100.14	135	150	435	450	1	5	60
	5/8"-11UNC	20	12500	18	92100.58	135	150	435	450	1	5	60
115 (4 1/2")	M14x2	23	12500	20	92115.14	135	150	435	450	1	5	60
	5/8"-11UNC	23	12500	20	92115.58	135	150	435	450	1	5	60
125 (5")	M14x2	27	12500	20	92125.14	135	150	435	450	1	5	60
	5/8"-11UNC	27	12500	20	92125.58	135	150	435	450	1	5	60
150 (6")	M14x2	32	10000	24	92150.14	135	150	435	450	1	5	30
	5/8"-11UNC	32	10000	24	92150.58	135	150	435	450	1	5	30
175 (7")	M14x2	37	9000	28	92175.14	135	150	435	450	1	5	20
	5/8"-11UNC	37	9000	28	92175.58	135	150	435	450	1	5	20
200 (8")	M14x2	41	6500	34	92200.14	135	150	435	450	1	5	20
	5/8"-11UNC	41	6500	34	92200.58	135	150	435	450	1	5	20

* Item No. = Code + wire code
For example, 92100.50135 means Mod.92, Dia(100mm). Arbor hole(M10x1.50) + Steel wire 0.35mm(135)



WHEEL BRUSHES

Mod.94 Twisted Knot Wheel Brushes w/Thread
Stringer Bead



for Angle grinder
 Wear eye protection!

Dia	Arbor Hole	Trim Length	Max RPM	number of knots	Code	Steel		Stainless Steel		Inner		Master carton
						0.35	0.5	0.35	0.5	Color box	Blister	
100 (4")	M10x1.50	20	12500	32	94100.50	135	150	435	450	1	5	60
	M14x2	20	12500	32	94100.14	135	150	435	450	1	5	60
	5/8"-11UNC	20	12500	32	94100.58	135	150	435	450	1	5	60
115 (4 1/2")	M14x2	23	12500	32	94115.14	135	150	435	450	1	5	60
	5/8"-11UNC	23	12500	32	94115.58	135	150	435	450	1	5	60
125 (5")	M14x2	24	12500	40	94125.14	135	150	435	450	1	5	60
	5/8"-11UNC	24	12500	40	94125.58	135	150	435	450	1	5	60
150 (6")	M14x2	30	10000	48	94150.14	135	150	435	450	1	5	30
	5/8"-11UNC	30	10000	48	94150.58	135	150	435	450	1	5	30
175 (7")	M14x2	37	9000	52	94175.14	135	150	435	450	1	5	20
	5/8"-11UNC	37	9000	52	94175.58	135	150	435	450	1	5	20
200 (8")	M14x2	41	6500	56	94200.14	135	150	435	450	1	5	20
	5/8"-11UNC	41	6500	56	94200.58	135	150	435	450	1	5	20

* Item No. = Code + wire code
For example, 94100.50135 means Mod.94, Dia(100mm). Arbor hole(M10x1.50) + Steel wire 0.35mm(135)




WHEEL BRUSHES

Mod.32 Twisted Knot Wheel Brushes w/Hole
Standard Twist



 for Angle grinder
 Wear eye protection!



Dia	Arbor Hole	Trim Length	Max RPM	number of knots	Code	Steel		Stainless Steel	Inner		Master carton
						0.35	0.5	0.5	Color box	Blister	
100 (4")	12.7	20	12500	18	32100.12	135	150	450	1	5	60
	16	20	12500	18	32100.16	135	150	450	1	5	60
	22.2	20	12500	18	32100.22	135	150	450	1	5	60
115 (4 1/2")	12.7	23	12500	20	32115.12	135	150	450	1	5	60
	16	23	12500	20	32115.16	135	150	450	1	5	60
	22.2	23	12500	20	32115.22	135	150	450	1	5	60
125(5")	22.2	27	12500	20	32125.22	135	150	450	1	5	60
150 (6")	16	32	9000	24	32150.16	135	150	450	1	5	30
	22.2	32	9000	24	32150.22	135	150	450	1	5	30
175(7")	22.2	37	9000	28	32175.22	135	150	450	1	5	20
200(8")	22.2	41	6500	34	32200.22	135	150	450	1	5	20

* Item No. = Code + wire code
For example, 32100.12135 means Mod.32, Dia(100mm). Arbor hole(12.7) + Steel wire 0.35mm(135)

Mod.39 Crimped Wire Wheel Brushes
Stripping Brushes




Dia	Arbor Hole	Face width	Max RPM	Code	Steel		Stainless Steel	
					0.15	0.2	0.15	0.2
50 (2")	6	20	4000	39050.20	115	120	415	420
	6	60	4000	39050.60	115	120	415	420

WHEEL BRUSHES

Mod.34 Twisted Knot Wheel Brushes w/Hole
Stringer Bead



 for Angle grinder
 Wear eye protection!




Dia	Arbor Hole	Trim Length	Max RPM	number of knots	Code	Steel		Stainless Steel	Inner		Master carton
						0.35	0.5	0.5	Color box	Blister	
100(4")	16	20	12500	32	34100.16	135	150	450	1	5	60
115(4 1/2")	22.2	23	12500	32	34115.22	135	150	450	1	5	60
125(5")	22.2	24	12500	40	34125.22	135	150	450	1	5	60
150(6")	22.2	30	9000	48	34150.22	135	150	450	1	5	30
175(7")	22.2	37	9000	52	34175.22	135	150	450	1	5	20
200(8")	22.2	41	8500	56	34200.22	135	150	450	1	5	20

* Item No. = Code + wire code
For example, 34100.16135 means Mod.34, Dia(100mm). Arbor hole(16) + Steel wire 0.35mm(135)

Mod.36 Twisted Knot Wheel Brushes
Double Rows Standard Twist



 for Angle grinder
 Wear eye protection!




Dia	Arbor Hole	Trim Length	Max RPM	number of knots	Code	Steel	Inner Color box	Master carton
						0.5		
100(4")	22.2	20	12500	18xlayers	36100.22	150	1	30
125(5")	22.2	27	12500	22xlayers	36125.25	150	1	30
150(6")	22.2	32	9000	24xlayers	36150.25	150	1	20
200(8")	22.2	41	6500	34xlayers	36200.25	150	1	10
250(10")	50	41	4500	54xlayers	36250.50	150	1	5
300(12")	50	43	3600	54xlayers	36300.50	150	1	5

WHEEL BRUSHES

Mod.91 Crimped Wire Wheel Brushes
Single Section w/Thread



 for Angle grinder
 Wear eye protection!




Dia	Arbor Hole	Trim Length	Max RPM	Code	Steel	Inner		Master carton
					0.3	Color box	Blister	
100 (4")	M14x2	17	8500	91100.14	130	1	5	60
	5/8"-11UNC	17	8500	91100.58	130	1	5	60
115 (4 1/2")	M14x2	24	8500	91115.14	130	1	5	60
	5/8"-11UNC	24	8500	91115.58	130	1	5	60
125(5")	M14x2	28	8500	91175.14	130	1	5	20
	5/8"-11UNC	28	8500	91175.58	130	1	5	20

* Item No. = Code + wire code
For example, 91100.14130 means Mod.91, Dia(100mm). Arbor hole(M14x2) + Steel wire 0.30mm(130)

Mod.35 Crimped Wire Wheel Brushes
Small Selection



 for Angle grinder
 Wear eye protection!




Dia	Arbor Hole	Face width	Trim Length	Code	Steel		Inner Blister	Master carton
					0.2	0.3		
38 (1 1/2")	10	6	10	35038.10	120	130	12	120
	12.7	6	10	35038.12	120	130	12	120
50 (2")	10	10	12	35050.10	120	130	12	120
	12.7	10	12	35050.12	120	130	12	120
75 (3")	12.7	16	25	35050.12	120	130	12	120
	16	16	25	35050.16	120	130	12	120

WHEEL BRUSHES

Mod.31 Crimped Wire Wheel Brushes



 for Angle grinder
 Wear eye protection!




Dia	Arbor Hole	Face width	Trim Length	Max RPM	Code	Steel	Stainless Steel	PA 6	Inner		Master carton
						0.3	0.3	0.8	Color box	Blister	
80(3 1/4")	12.7	12	12	4500	31080.12	130	430	680	1	5	60
100(4")	12.7	12	21	4500	31100.12	130	430	680	1	5	60
125(5")	16	12	35	8500	31125.16	130	430	680	1	5	60
150(6")	16	14	28	6500	31150.16	130	430	680	1	5	60
175(7")	16	14	29	6500	31175.16	130	430	680	1	5	20
200(8")	16	16	34	3750	31200.16	130	430	680	1	5	20

* Item No. = Code + wire code
For example, 31100.12130 means Mod.31, Dia(100mm). Arbor hole(12.7) + Steel wire 0.30mm(130)

Mod.33 Crimped Wire Wheel Brushes
Single Section



 for Angle grinder
 Wear eye protection!



Dia	Arbor Hole	Face width	Trim Length	Max RPM	Code	Steel		Stainless Steel		Inner blister	Master carton
						0.2	0.3	0.2	0.3		
75(3")	12.7	8	15	4500	33075.12	120	130	420	430	12	120
100(4")	12.7	12	23	4500	33100.12	120	130	420	430	12	120
110	16	14	24	4500	33110.12	120	130	420	430	12	120
125(5")	16	14	30	4500	33125.16	120	130	420	430	5	60
150(6")	16	14	34	4500	33150.16	120	130	420	430	5	60
175(7")	16	15	36	4500	33175.16	120	130	420	430	5	30
200(8")	16	16	38	3750	33200.16	120	130	420	430	5	20
250(10")	16	18	50	3750	33250.16	120	130	420	430	5	10
300(12")	16	18	75	3750	33300.16	120	130	420	430	5	10


WHEEL BRUSHES

Mod.37 Crimped Wire Wheel Brushes
Circular Brushes




Dia	Arbor Hole	Face width	Trim Length	Max RPM	Code	Steel	Stainless Steel	Brass coated	Inner		Master carton
						0.3	0.3	0.3	Color box	Blister	
100(4")	20	20	21	6000	37100.20	130	430	330	1	5	60
125(5")	20	20	28	8500	37125.20	130	430	330	1	5	40
150 (6")	32	20	28	6000	37150.20	130	430	330	1	5	30
	32	25	28	6000	37150.25	130	430	330	1	5	30
175 (7")	32	20	40	6500	37175.20	130	430	330	1	5	20
	32	25	40	6500	37175.32	130	430	330	1	5	20
200 (8")	32	20	45	4500	37200.20	130	430	330	1	5	20
	32	25	45	4500	37200.32	130	430	330	1	5	20
250(10")	32	25	50	3600	37250.25	130	430	330	1	5	10
300(12")	32	25	75	3600	37300.25	130	430	330	1	5	10

* Item No. = Code + wire code
For example, 37100.20130 means Mod.37, Dia(100mm). Arbor hole(20) + Steel wire 0.30mm(130)



SHAFT MOUNTED BRUSHES

Mod.42 Shaft Mounted Cup Brushes
Twisted Knot



Dia	Shaft	Trim Length	Max RPM	Code	Steel		Inner Blister	Master carton
					0.35	0.5		
65(2 1/2")	6 / 6.35	17	12500	42065.06	135	150	12	120
75(3")	6 / 6.35	20	12500	42075.06	135	150	12	120

* Item No. = Code + wire code
For example, 42065.06135 means Mod.42, Dia(65mm). Shaft(6) + Steel wire 0.35mm(135)



Mod.41 Shaft Mounted Cup Brushes
Crimped Wire



Dia	Shaft	Trim Length	Max RPM	Code	Steel		Stainless Steel		Brass coated		Brass		Inner Blister	Master carton
					0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3		
38(1 1/2")	6/6.35	15	4500	41038.06	120	130	420	430	320	330	520	530	12	120
50(2")	6/6.35	15	4500	41050.06	120	130	420	430	320	330	520	530	12	120
63(2 1/2")	6/6.35	20	4500	41063.06	120	130	420	430	320	330	520	530	12	120
75(3")	6/6.35	21	4500	41075.06	120	130	420	430	320	330	520	530	12	120
80(3 1/4")	6/6.35	22	4500	41080.06	120	130	420	430	320	330	520	530	12	120

SHAFT MOUNTED BRUSHES



Mod.41H Hexagon Shaft Mounted Cup Brushes Crimped Wire



Dia	Shaft	Trim Length	Max RPM	Code	Steel		Stainless Steel		Brass coated		Brass		Inner Blister	Master carton
					0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3		
38(1 1/2")	6.35	15	4500	41038.H6	120	130	420	430	320	330	520	530	12	120
50(2")	6.35	15	4500	41050.H6	120	130	420	430	320	330	520	530	12	120
63(2 1/2")	6.35	20	4500	41063.H6	120	130	420	430	320	330	520	530	12	120
75(3")	6.35	21	4500	41075.H6	120	130	420	430	320	330	520	530	12	120
80(3 1/4")	6.35	22	4500	41080.H6	120	130	420	430	320	330	520	530	12	120

* Item No. = Code + wire code
For example, 41038.H6120 means Mod.41, Dia(38mm). Shaft(6) + Steel wire 0.20mm(120)



Mod.41T Shaft Mounted Cup Brushes Industrial Type



Dia	Shaft	Trim Length	Max RPM	Code	Steel		Stainless Steel	Brass coated		Inner Blister	Master carton
					0.2	0.3	0.3	0.2	0.3		
38(1 1/2")	6/6.35	15	13000	41038.T6	120	130	430	320	330	12	120
50(2")	6/6.35	15	12000	41050.T6	120	130	430	320	330	12	120
63(2 1/2")	6/6.35	20	12000	41063.T6	120	130	430	320	330	12	120
75(3")	6/6.35	21	12000	41075.T6	120	130	430	320	330	12	120
80(3 1/4")	6/6.35	22	4500	41080.T6	120	130	430	320	330	12	120

SHAFT MOUNTED BRUSHES



Mod.52 Shaft Mounted Bevel Brushes Twisted Knot



Dia	Shaft	Trim Length	Max RPM	Code	number of knots	Steel		Inner Blister	Master carton
						0.35	0.5		
75(3")	6/6.35	15	15000	52075.06	15	135	150	12	120
100(4")	6/6.35	20	12500	52100.06	18	135	150	12	120

* Item No. = Code + wire code
For example, 52075.06135 means Mod.52, Dia(75mm). Shaft(6) + Steel wire 0.35mm(135)


Mod.51 Shaft Mounted Bevel Brushes Crimped Wire



Dia	Shaft	Trim Length	Max RPM	Code	Steel	Brass coated	Inner Blister	Master carton
					0.3	0.3		
75(3")	6/6.35	17	12500	51075.06	130	330	12	120
100(4")	6/6.35	22	12500	51100.06	130	330	12	120

SHAFT MOUNTED BRUSHES

Mod.62 Shaft Mounted Wheel Brushes
Twisted Knot




for drill
 Wear eye protection!

Dia	Shaft	Face Width	Trim Length	Max RPM	Code	number of knots	Steel		Inner Blister	Master carton
							0.35	0.5		
75(3")	6/6.35	12	15	15000	62075.06	15	135	150	12	120
100(4")	6/6.35	12	22	12500	62100.06	18	135	150	12	120

* Item No. = Code + wire code
For example, 62075.06135 means Mod.62, Dia(75mm). Shaft(6) + Steel wire 0.35mm(135)

Mod.61 Shaft Mounted Wheel Brushes
Crimped Wire




for drill
 Wear eye protection!

Dia	Shaft	Face Width	Trim Length	Max RPM	Code	Steel		Stainless Steel		Brass coated		Brass		Inner Blister	Master carton
						0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3		
38(1 1/2")	6/6.35	5	8	4500	61038.06	120	130	420	430	320	330	520	530	12	120
50(2")	6/6.35	7	10	4500	61050.06	120	130	420	430	320	330	520	530	12	120
63(2 1/2")	6/6.35	9	13	4500	61063.06	120	130	420	430	320	330	520	530	12	120
75(3")	6/6.35	10	15	4500	61075.06	120	130	420	430	320	330	520	530	12	120
100(4")	6/6.35	12	22	4500	61100.06	120	130	420	430	320	330	520	530	12	120

SHAFT MOUNTED BRUSHES

Mod.61H Hexagon Shaft Mounted Wheel Brushes
Crimped Wire

for drill
 Wear eye protection!



Dia	Shaft	Face Width	Trim Length	Max RPM	Code	Steel		Stainless Steel		Brass coated		Brass		Inner Blister	Master carton
						0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3		
38(1 1/2")	6.35	5	8	4500	61038.06	120	130	420	430	320	330	520	530	12	120
50(2")	6.35	7	10	4500	61050.06	120	130	420	430	320	330	520	530	12	120
63(2 1/2")	6.35	9	13	4500	61063.06	120	130	420	430	320	330	520	530	12	120
75(3")	6.35	10	15	4500	61075.06	120	130	420	430	320	330	520	530	12	120
100(4")	6.35	12	22	4500	61100.06	120	130	420	430	320	330	520	530	12	120

* Item No. = Code + wire code
For example, 61038.06120 means Mod.61H, Dia(38mm).Shaft(6) + Steel wire 0.2mm(120)

Mod.61T Shaft Mounted Wheel Brushes
Industrial Type



for drill
 Wear eye protection!

Dia	Shaft	Face Width	Trim Length	Max RPM	Code	Steel				Stainless Steel		Brass	
						0.15	0.2	0.3	0.5	0.2	0.3	0.2	0.3
25(1")	6	4	3	20000	61025.T6	1151	1201	1301	1501	4201	4301	5201	5301
30 (1 1/4")	6	6	6.5	20000	61030.T6	1151	1201	1301	1501	4201	4301	5201	5301
	6	9	6.5	20000	61030.T6	1152	1202	1302	1502	4202	4302	5202	5302
	6	12	6.5	20000	61030.T6	1153	1203	1303	1503	4203	4303	5203	5303
40 (1 1/2")	6	9	9	18000	61040.T6	1151	1201	1301	1501	4201	4301	5201	5301
	6	12	9	18000	61040.T6	1152	1202	1302	1502	4202	4302	5202	5302
	6	18	9	18000	61060.T6	1153	1203	1303	1503	4203	4303	5203	5303
50 (2")	6	10	12	15000	61050.T6	1151	1201	1301	1501	4201	4301	5201	5301
	6	15	12	15000	61050.T6	1152	1202	1302	1502	4202	4302	5202	5302
	6	20	12	15000	61050.T6	1153	1203	1303	1503	4203	4303	5203	5303
60 (2 1/2")	6	10	17	15000	61060.T6	1151	1201	1301	1501	4201	4301	5201	5301
	6	15	17	15000	61060.T6	1152	1202	1302	1502	4202	4302	5202	5302
	6	20	17	15000	61060.T6	1153	1203	1303	1503	4203	4303	5203	5303
70 (2 3/4")	6	10	19	15000	61070.T6	1151	1201	1301	1501	4201	4301	5201	5301
	6	15	19	15000	61070.T6	1152	1202	1302	1502	4202	4302	5202	5302
	6	20	19	15000	61070.T6	1153	1203	1303	1503	4203	4303	5203	5303
80 (3 1/4")	6	10	19	12000	61080.T6	1151	1201	1301	1501	4201	4301	5201	5301
	6	15	19	12000	61080.T6	1152	1202	1302	1502	4202	4302	5202	5302
	6	20	19	12000	61080.T6	1153	1203	1303	1503	4203	4303	5203	5303
100(4")	6	20	22	12000	61100.T6	1151	1201	1301	1501	4201	4301	5201	5301

END BRUSHES

Mod.72 Twisted Knot End Brushes



Dia	Shaft	Trim Length	Max RPM	Code	number of knots	Steel		Inner Blister	Master carton
						0.35	0.5		
19(3/4")	6/6.35	27	20000	72019.06	6	135	150	20	200
22(7/8")	6/6.35	27	20000	72022.06	8	135	150	20	200
25(1")	6/6.35	27	20000	72025.06	10	135	150	20	200
28(1 1/8")	6/6.35	27	20000	72028.06	12	135	150	20	200

* Item No. = Code + wire code
For example, 72019.06135 means Mod.72, Dia(19mm). Shaft(6) + Steel wire 0.35mm(135)

Mod.71 Crimped Wire End Brushes



Dia	Shaft	Trim Length	Max RPM	Code	Steel		Stainless Steel		Brass coated		Brass		Inner Blister	Master carton
					0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3		
12(1/2")		27		71012.06	120	130	420	430	320	330	520	530	20	200
15(5/8")	6/6.35	27	4500	71015.06	120	130	420	430	320	330	520	530	20	200
19(3/4")	6/6.35	27	4500	71019.06	120	130	420	430	320	330	520	530	20	200
25(1")	6/6.35	27	4500	71025.06	120	130	420	430	320	330	520	530	20	200
28(1 1/8")	6/6.35	27	4500	71028.06	120	130	420	430	320	330	520	530	20	200



END BRUSHES


Mod.71H Hexagon Shaft Mounted End Brushes
Crimped Wire



Dia	Shaft	Trim Length	Max RPM	Code	Steel		Stainless Steel		Brass coated		Brass		Inner Blister	Master carton
					0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3		
15(9/16")	6.35	27	4500	71015.H6	120	130	420	430	320	330	520	530	20	200
19(3/4")	6.35	27	4500	71019.H6	120	130	420	430	320	330	520	530	20	200
25(1")	6.35	27	4500	71025.H6	120	130	420	430	320	330	520	530	20	200
28(1 1/8")	6.35	27	4500	71030.H6	120	130	420	430	320	330	520	530	20	200

* Item No. = Code + wire code
For example, 71019.H6120 means Mod.71, Dia(19mm). Shaft(6) + Steel wire 0.20mm(120)

Mod.71T End Brushes
Industrial Type



Dia	Shaft	Trim Length	Max RPM	Code	Steel		Stainless Steel		Brass coated		Brass	
					0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3
12(1/2")	6/6.35	27		71012.T6	120	130	420	430	320	330	520	530
17(11/16")	6/6.35	27	20000	71017.T6	120	130	420	430	320	330	520	530
19(3/4")	6/6.35	27	20000	71019.T6	120	130	420	430	320	330	520	530
22(7/8")	6/6.35	27	20000	71022.T6	120	130	420	430	320	330	520	530
25(1")	6/6.35	27	20000	71025.T6	120	130	420	430	320	330	520	530
28(1 1/8")	6/6.35	27	20000	71028.T6	120	130	420	430	320	330	520	530

MINIATURE BRUSHES

Mod.81 Miniature Cup Brushes

Dia	Shank	Max RPM	Code	Steel	Stainless	Brass	Nylon	Horse Hair
				0.13	0.13	0.13	0.13	
13 (1/2")	2.37	37000	81013.23	113	413	513	613	800
	3.17	37000	81013.31	113	413	513	613	800
25 (1")	2.37	37000	81025.23	113	413	513	613	800
	3.17	37000	81025.31	113	413	513	613	800

* Item No. = Code + wire code
For example, 81013.23113 means Mod.81, Dia(13mm). Shank(2.37) + Steel wire 0.13mm(113)



Mod.83 Miniature Wheel Brushes



Dia	Shank	Max RPM	Code	Steel		Stainless		Brass		Nylon		Horse Hair	Coton			Abrasive		
				0.1	0.13	0.1	0.13	0.1	0.13	0.1	0.13		S	M	D	F	M	C
16 (5/8")	2.37	37000	83016.23	110	113	410	413	510	513	610	613	800						
	3.17	37000	83016.31	110	113	410	413	510	513	610	613	800						
19 (3/4")	2.37	37000	83019.23	110	113	410	413	510	513	610	613	800	901	902	903	701	702	703
	3.17	37000	83019.31	110	113	410	413	510	513	610	613	800						
22(7/8")	2.37	37000	83022.23	110	113	410	413	510	513	610	613	800	901	902	903	701	702	703
	2.37	37000	83025.23										901	902	903	701	702	703
25 (1")	3.17	37000	83025.31	110	113	410	413	510	513	610	613	800						
	3.17	37000	83028.31	110	113	410	413	510	513	610	613	800						

* Cotton: S - soft, M - medium, H - hard; Abrasive: F - fine, M - medium, C - coarse.

Mod.87 Miniature End Brushes

Dia	Shank	Max RPM	Code	Steel	Stainless	Brass	Nylon	Horse Hair
				0.13	0.13	0.13	0.13	
5 (1/5")	2.37	37000	87005.23	110	410	510	610	800
	3.17	37000	87005.31	110	410	510	610	800
6 (1/4")	2.37	37000	87006.23	113	413	510	613	800
	3.17	37000	87006.31	113	413	510	613	800
8 (1/3")	2.37	37000	87008.23	113	413	510	613	800
	3.17	37000	87008.31	113	413	510	613	800

* wire size of Dia 5(1/5") is 0.10mm



POWER BRUSH KITS

99.01 6PCS Set Wire Brushes

Type	Dia	Shaft	Qty(pcs)	Code	Steel	Brass coated	Stainless	Brass
					0.3	0.3	0.3	0.3
End brush	25	6	1	9901	130	230	410	510
Wheel brush	38	6	1		130	230	410	510
Wheel brush	50	6	1		130	230	410	510
Wheel brush	75	6	1		130	230	410	510
Wheel brush	100	6	1		130	230	410	510
Cup brush	63	6	1		130	230	410	510



99.02 5PCS Set Wire Brushes

Type	Dia	Arbor hole	Qty(pcs)	Code	Steel	Brass coated	Stainless	Brass
					0.3	0.3	0.3	0.3
Scratch brush	4*16		1	9902	130	230	410	510
Wheel brush	100	0.3	1		130	230	410	510
Wheel brush	100	0.5	1		130	230	410	510
Cup brush	75	0.3	1		130	230	410	510
Cup brush	75	0.5	1		130	230	410	510



99.03 4PCS Set Wire Brushes

Type	Dia	Shaft	Qty(pcs)	Code	Steel	Brass coated	Stainless	Brass
					0.3	0.3	0.3	0.3
End brush	25	6	1	9903	130	230	410	510
Wheel brush	75	6	1		130	230	410	510
Cup brush	50	6	1		130	230	410	510
Scratch brush			1		130	230	410	510



POWER BRUSH KITS

99.04 2PCS Set Wire Brushes

Type	Dia	Shaft	Qty(pcs)	Code	Steel	Brass coated	Stainless	Brass	Coarse
					0.3	0.3	0.3	0.3	1.2
Cup brush	50	6	1	9904	130	230	410	510	610
Wheel brush	75	6	1		130	230	410	510	610



99.05 3PCS Set Wire Brushes

Type	Dia	Shaft	Qty(pcs)	Code	Steel	Brass coated	Stainless	Brass
					0.3	0.3	0.3	0.3
Cup brush	75	6	1	9905	130	230	410	510
Wheel brush	75	6	1		130	230	410	510
End brush	25	6	1		130	230	410	510



99.06 2PCS Set Wire Brushes

Type	Dia	Shaft	Qty(pcs)	Code	Steel	Brass coated	Stainless	Brass
					0.3	0.3	0.3	0.3
Cup brush	75	6	1	9906	130	230	410	510
Wheel brush	100	6	1		130	230	410	510



99.07 6PCS Set Wire Brushes

Type	Dia	Shaft	Qty(pcs)	Code	Steel	Brass coated	Stainless	Brass
					0.3	0.3	0.3	0.3
Cup brush	75	6	1	9907	130	230	410	510
Wheel brush	38	6	1		130	230	410	510
Wheel brush	38	6	1		130	230	410	510
Wheel brush	75	6	1		130	230	410	510
Wheel brush	75	6	1		130	230	410	510
Wheel brush	100	6	1		130	230	410	510



Abrasive Nylon Brushes



CUP / WHEEL BRUSHES



Mod.10



Mod.30



Mod.90

Mod.10 Abrasive Nylon Cup Brushes

Dia	Arbor Hole	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
								Color box	Blister	
75(3")	M14x2	22	12500	10075.14	701	702	703	12	12	120
100(4")	M14x2	28	8500	10100.14	701	702	703	12	12	120
125 (5")	M14x2	34	6500	10125.14	701	702	703	12	12	120
	5/8"-11UNC	34	6500	10125.58	701	702	703	12	12	120
150 (6")	M14x2	45	6500	10150.14	701	702	703	12	12	120
	5/8"-11UNC	45	6500	10150.58	701	702	703	12	12	120

* Item No. = Code + wire code
For example, 10075.14701 means Mod.10, Dia(75mm). Arbor hole(M14x2) + abrasive nylon fine grade(701)

Mod.30 Abrasive Nylon Wheel Brushes

Dia	Arbor Hole	Face Width	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
									Color box	Blister	
100(4")	20	20	21	6000	30100.20	701	702	703	12	12	120
125(5")	20	20	28	8500	30125.20	701	702	703	12	12	120
150(6")	32	20	28	6000	30150.32	701	702	703	12	12	120
175(7")	32	20	40	6500	30175.32	701	702	703	12	12	120

Mod.90 Abrasive Nylon Wheel Brushes

Dia	Arbor Hole	Face Width	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
									Color box	Blister	
75(3")	12.7	8	15	4500	90075.12	701	702	703	12	12	120
100(4")	12.7	12	23	4500	90100.15	701	702	703	12	12	120
125(5")	16	14	30	4500	90125.10	701	702	703	12	12	120
150(6")	16	14	34	4500	90150.15	701	702	703	12	12	120
175(7")	16	15	36	4500	90175.15	701	702	703	12	12	120

CUP BRUSHES



Mod.40



Mod.40H

Mod.40 Shaft Mounted Cup Brushes

Dia	Shaft	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
								Color box	Blister	
50(2")	6/6.35	15	4500	40050.06	701	702	703	12	12	120
63(2 1/2")	6/6.35	20	4500	40063.06	701	702	703	12	12	120
75(3")	6/6.35	21	4500	40075.06	701	702	703	12	12	120

* Item No. = Code + wire code
For example, 40050.06701 means Mod.40, Dia(50mm). Shaft(6) + abrasive nylon fine grade(701)

Mod.40H Hexagon Shaft Mounted Cup Brushes

Dia	Shaft	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
								Color box	Blister	
50(2")	6.35	15	4500	40050.H6	701	702	703	12	12	120
63(2 1/2")	6.35	20	4500	40063.H6	701	702	703	12	12	120
75(3")	6.35	21	4500	40075.H6	701	702	703	12	12	120

FLAP BRUSHES



Mod.80H

Mod.80 Shaft Mounted Flap Brushes

Dia	Shaft	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
								Color box	Blister	
100(4")	6	25	4500	80100.A6	701	702	703	12	12	120
100(4")	6	25	4500	80100.B6	701	702	703	12	12	120

* Item No. = Code + wire code
For example, 80100.A6701 means Mod.80, Dia(100mm). Shaft(6) + abrasive nylon fine grade(701)

Mod.80H Hexagon Shaft Mounted Flap Brushes

Dia	Shaft	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
								Color box	Blister	
100(4")	6	25	4500	80100.AH	701	702	703	12	12	120
100(4")	6	25	4500	80100.BH	701	702	703	12	12	120

WHEEL BRUSHES

Mod.60 Shaft Mounted Wheel Brushes



Dia	Shaft	Face Width	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
									Color box	Blister	
38(1 1/2")	6/6.35	5	8	4500	60038.06	701	702	703	12	12	120
50(2")	6/6.35	7	10	4500	60050.06	701	702	703	12	12	120
63(2 1/2")	6/6.35	9	13	4500	60063.06	701	702	703	12	12	120
75(3")	6/6.35	10	15	4500	60075.06	701	702	703	12	12	120
100(4")	6/6.35	12	22	4500	60100.06	701	702	703	12	12	120

* Item No. = Code + wire code
For example, 60038.06701 means Mod.60, Dia(38mm). Shaft(6) + abrasive nylon fine grade(701)

Mod.60H Hexagon Shaft Mounted Wheel Brushes



Dia	Shaft	Face Width	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
									Color box	Blister	
38(1 1/2")	6.35	5	8	4500	60038.H6	701	702	703	12	12	120
50(2")	6.35	7	10	4500	60050.H6	701	702	703	12	12	120
63(2 1/2")	6.35	9	13	4500	60063.H6	701	702	703	12	12	120
75(3")	6.35	10	15	4500	60075.H6	701	702	703	12	12	120
100(4")	6.35	12	22	4500	60100.H6	701	702	703	12	12	120

END BRUSHES



Mod.70 Shaft Mounted End Brushes

Dia	Shaft	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
								Color box	Blister	
12(1/2")	6/6.35	27	4500	70012.06	701	702	703	12	12	120
19(3/4")	6/6.35	27	4500	70019.06	701	702	703	12	12	120
25(1")	6/6.35	27	4500	70025.06	701	702	703	12	12	120
28(1 1/8")	6/6.35	27	4500	70028.06	701	702	703	12	12	120

* Item No. = Code + wire code
For example, 70012.06701 means Mod.70, Dia(12mm). Shaft(6) + abrasive nylon fine grade(701)

Mod.70H Hexagon Shaft Mounted End Brushes


Dia	Shaft	Trim Length	Max RPM	Code	Fine (blue)	Medium (red)	Coarse (gray)	Inner		Master carton
								Color box	Blister	
15(9/16")	6.35	27	4500	70015.H6	701	702	703	12	12	120
19(3/4")	6.35	27	4500	70019.H6	701	702	703	12	12	120
25(1")	6.35	27	4500	70025.H6	701	702	703	12	12	120
30(1 1/4")	6.35	27	4500	70030.H6	701	702	703	12	12	120

DISC BRUSHES



Mod.82 Abrasive Nylon Disc Brushes

D mm	Disc thickness	d	Trim Length	Core material
50(2")	8	6.1	38	PP
120 (4 3/4")	18/20.5	M14	38	PP
	15	25/34.5x10	38	PP
130(5 1/8")	18	M14	38	PP
	15	40	38	PP
140 (5 1/2")	15	11/7	38	PP
	15	11/7	38	PP
150 (6")	18/21	M14	38	PP
	20	M16	38	PP
	25	10/25	38	PP
165(6 1/2")	25	25/35x14/25	38	PP
	25	25/35x14/25	38	PP
180 (7")	20/16.5	M12R	38	PP
	20/16.5	M12L	38	PP
200 (8")	15	25/34.5x10	38	PP
	20	25	38	PP



Scratch Brushes



WOODEN WIRE BRUSHES



W.15 Straight Handle Wooden Wire Brushes Recommended

11"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Galvanized 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
2*15	285x25	130	25	W2150	130	230	330	430	530	12	120
3*15	285x28	130	25	W3150	130	230	330	430	530	12	120
4*15	285x33	130	25	W4150	130	230	330	430	530	12	120
4*15	285x33	130	25	W415X	130	230	330	430	530	12	120
5*15	285x36	130	25	W5150	130	230	330	430	530	12	120
6*15	285x39	130	25	W6150	130	230	330	430	530	12	120

* W415X: with scraper
* Item No. = Code + wire code. e.g. W2150.130 means W.15, Rows(2*15). + steel wire 0.30mm(130)

W.15E Straight Handle Wooden Wire Brushes Economic Grade

11"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Galvanized 0.3	Brass coated 0.3	Inner box	Master carton
2*15	285x25	130	25	W215E	130	230	330	12	120
3*15	285x28	130	25	W315E	130	230	330	12	120
4*15	285x33	130	25	W415E	130	230	330	12	120
5*15	285x36	130	25	W515E	130	230	330	12	120
6*15	285x39	130	25	W615E	130	230	330	12	120

W.15B Beech Wood Handle Wire Brushes Pro Quality

11"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
2*15	285x25	130	25	W215B	130	330	430	530	12	120
3*15	285x28	130	25	W315B	130	330	430	530	12	120
4*15	285x33	130	25	W415B	130	330	430	530	12	120
5*15	285x36	130	25	W515B	130	330	430	530	12	120
6*15	285x39	130	25	W615B	130	330	430	530	12	120

W.16B Bending Handle Wire Brushes Better Shape

12.5"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
2*16	320x25	130	25	W216B	130	330	430	530	12	120
3*16	320x28	130	25	W316B	130	330	430	530	12	120
4*16	320x33	130	25	W416B	130	330	430	530	12	120
5*16	320x36	130	25	W516B	130	330	430	530	12	120
6*16	320x39	130	25	W616B	130	330	430	530	12	120

WOODEN WIRE BRUSHES

W.416 Shoe Handle Wooden Wire Brushes

10"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
3*16	260x25	120	25	W3160	130	330	430	530	12	120
4*16	260x28	120	25	W4160	130	330	430	530	12	120
4*16	260x28	130	25	W416X	130	330	430	530	12	120
5*16	260x33	130	25	W5160	130	330	430	530	12	120
6*16	260x38	130	25	W6160	130	330	430	530	12	120

* W416X: with scraper. W416S: refer to welding brushes.
* Item No. = Code + wire code
For example, W4160.130 means W.416, Rows(4*16). + steel wire 0.30mm(130)



W.411 Straight Handle Wooden Wire Brushes Heavy Duty

11"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
4*11	280x38	120	25	W4110	130	330	430	530	12	120
4*11	280x38	120	25	W411X	130	330	430	530	12	120

* W411X: with scraper.



L.411 Long Handle Wooden Wire Brushes Heavy Duty

20"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
4*11	520x38	120	25	L4110	130	330	430	530	6	36
4*11	520x38	120	25	L411X	130	330	430	530	6	36

* L411X: with scraper.



WOODEN WIRE BRUSHES

W.319 Curved Long Handle Wooden Wire Brushes

14"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
3*19	350x28	160	30	W3190	130	330	430	530	12	120
3*19	350x28	160	30	W319X	130	330	430	530	12	120
3*19	350x35	160	38	W319V	130	330	430	530	12	120
4*18	350x35	160	30	W4180	130	330	430	530	12	120
4*18	350x35	160	30	W418X	130	330	430	530	12	120

* W319X: w/scraper, W319V: V-Groove, W418X: w/scraper.
* Item No. = Code + wire code
e.g. W3190.130 means W.319, Rows(3*19). + Wire 0.30mm(130)



S.319 Curved Long Handle Wooden Wire Brushes

S Shape

Welding

14"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
3*19	350x28	160	30	S3190	130	330	430	530	12	120
3*19	350x28	160	30	S319X	130	330	430	530	12	120
3*19	350x35	160	38	S319V	130	330	430	530	12	120
4*16	260x28	160	30	S4160	130	330	430	530	12	120
4*16	260x28	160	30	S416X	130	330	430	530	12	120

* S319X: w/scraper, S319V: V-Groove, S418X: w/scraper.



W.307 3-Pack Mini Wooden Wire Brushes

Welding

8"

Rows	Block Size	Trim Length	Code	PP 0.3	Stainless 0.15	Brass 0.15	Inner box	Master carton
3*7	200x13	15	W3070	630	415	515	36	360
2*9	220x13	15	W2090	630	415	515	36	360
2*9	220x13	15	S2090	630	415	515	36	360



S.209

* S209: Curved back.

WOODEN WIRE BRUSHES

W.619 Standard Block Wooden Wire Brushes

7"

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
6*19	180*53	25	W6190	130	330	430	530	6	72
9*21	185x65	25	W9210	130	330	430	530	6	72
6*19	180*53	25	S6190	130	330	430	530	6	72
9*21	185x65	25	S9210	130	330	430	530	6	72
3*15	120x21	25	C3150	130	330	430	530	36	360

* S6190: curved block, S9120: curved block, C3150: for Chipping hammer.
* Item No. = Code + wire code
For example, W6190.130 means W.619, Rows(6*19). + steel wire 0.30mm(130)



W.517 Butcher Block Wooden Wire Brushes

8"

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
4*12	165*50	25	W4120	130	330	430	530	12	120
5*17	180*53	25	W5170	130	330	430	530	6	72
6*17	195x53	25	W6170	130	330	430	530	6	72
6*19	210x65	25	L6190	130	330	430	530	6	72



J.619 Jumbo Block Wooden Wire Brushes

8"

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
6*19	180*40	25	J619B	130	330	430	530	6	72
6*19	180x53	25	J6190	130	330	430	530	6	72
6*19	195x53	25	J619M	130	330	430	530	6	72
6*19	210x53	25	J619L	130	330	430	530	6	72

* J619B: curved block.



PLASTIC WIRE BRUSHES

P.15 Finger Grips Plastic Wire Brushes

11"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
2*15	275x24	140	25	P2150	130	330	430	530	12	120
3*15	275x26	140	25	P3150	130	330	430	530	12	120
4*15	275x29	140	25	P4150	130	330	430	530	12	120
4*15	275x19	140	25	P415X	130	330	430	530	12	120
5*15	275x34	140	25	P5150	130	330	430	530	12	120
6*15	275x41	140	25	P6150	130	330	430	530	12	120

* P415X: w/scrapper.



P.416 Shoe Handle Plastic Wire Brushes

10"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
4*16	260x30	140	25	P4160	130	330	430	530	12	120
4*16	260x30	140	25	P416X	130	330	430	530	12	120

* P416X: w/scrapper.



P.411 Short Handle Plastic Wire Brushes

11"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
4*11	280x38	140	25	P4110	130	330	430	530	12	120
4*11	280x38	140	25	P411X	130	330	430	530	12	120

* P411X: w/scrapper.



P.317 Curved Handle Platic Wire Brushes

11.5"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
3*17	295x38	150	25	P3170	130	330	430	530	12	120
3*17	295x24	150	25	P317X	130	330	430	530	12	120

* P317X: w/scrapper.



PLASTIC WIRE BRUSHES

P.319 Long Handle Plastic Wire Brushes14"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
3*19	330x25	160	25	P3190	130	330	430	530	12	120
3*19	330x25	160	25	P319X	130	330	430	530	12	120

* P319X: w/scrapper.




P.619 Curved Block Plastic Wire Brushes

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
6*19	170x45	25	P6190	130	330	430	530	12	72
9*20	180x68	25	P9200	130	330	430	530	12	72

P.920

P.532 Heavy Duty Jumbo Wire Brushes



P.418

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
5*32	245x40	25	P5320	130	330	430	530	12	120
4*18	158x32	25	P4180	130	330	430	530	12	120

SOFT GRIP WIRE BRUSHES

* Soft Grip handle: TPR + PP.

T.15 Soft Grip Wire Brushes10"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
2*15	260X18	120	25	T2150	130	330	430	530	12	120
3*15	260X24	120	25	T3150	130	330	430	530	12	120
4*15	260X30	120	25	T4150	130	330	430	530	12	120
5*15	260X38	120	25	T5150	130	330	430	530	12	120
6*15	260X42	120	25	T6150	130	330	430	530	12	120



SOFT GRIP WIRE BRUSHES

T.416 Shoe Handle Wire Brushes10"

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
4*16	260X28	125	25	T4160	130	330	430	530	12	120



T.411 Soft Grip Wire Brushes

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
4*11	280x33	140	25	T4110	130	330	430	530	12	120
4*11	280x33	140	25	T411X	130	330	430	530	12	120

* T411X: w/scrapper.



T.319 Long Handle Wire Brushes

Rows	Block Size	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
3*19	345x25	160	30	T3190	130	330	430	530	12	120
3*19	345x25	160	30	T319X	130	330	430	530	12	120
4*18	260x31	110	25	T4180	130	330	430	530	12	120

* T319X: w/scrapper.



T.518 Soft Grip Block Wire Brushes

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
5*18	165x55	30	T5180	130	330	430	530	6	72



T.532 Jumbo Wire Brushes

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
5*32	245x35	30	T5320	130	330	430	530	6	72



BRUSH SETS

T.307 3-Pack Tip Bristle Mini Wire Brushes

Rows	Block Size	Trim Length	Code	Stainless 0.15	Brass 0.15	PP 0.3	Inner box	Master carton
3*7	180*13	15	T3070	415	515	630	36	360

7"



T.310 3-Pack Soft Grip Mini Wire Brushes

Rows	Block Size	Trim Length	Code	Stainless 0.15	Brass 0.15	PP 0.3	Inner box	Master carton
3*10	180*20	15	T3100	415	515	630	36	360

7"



T.511 3-Pack Soft Grip Mini Wire Brushes

Rows	Block Size	Trim Length	Code	Stainless 0.15	Brass 0.15	PP 0.3	Inner box	Master carton
5*11	180*33	15	T5110	415	515	630	36	360

7"



P.307 3-Pack Mini Wire Brush Set

Rows	Block Size	Trim Length	Code	PP 0.3	Stainless 0.15	Brass 0.15	Inner box	Master carton
3*7	177x11	15	P3070	630	415	515	36	360
3*7	175x11	15	P307T	630	415	515	36	360


7"



P.312 3-Pack Wire Brush Set

Rows	Block Size	Trim Length	Code	PP 0.3	Stainless 0.15	Brass 0.15	Inner box	Master carton
3*12	220x22	15	W3070	630	415	515	36	360

9"



PAVING BRUSHES

* also called Weed Brushes or Patio Brushes.

T.619 Soft Grip Block Wire Brushes

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
6*19	180x63	30	T6190	130	330	430	530	6	72
6*19	180x63	30	W619H	130	330	430	530	6	72



W.619H Wooden Block w/thread hole

W.310 Wooden Block Paving Brushes

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
3*10	100x31	38	W3100	135	335	435	535	12	24
3*10	100x31	38	W310X	135	335	435	535	12	24
3*10	100x31	38	W310S	135	335	435	535	12	24
3*10	100x31	38	W310F	135	335	435	535	12	24
3*13	130x31	38	W313X	135	335	435	535	12	24
3*13	130x31	38	W313F	135	335	435	535	12	24

* X:scraper, S:spike, F:metal fame w/spike.
* woode handle: 400mm.



W.313

P.310 Plastic Paving Brushes

Rows	Block Size	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	Brass 0.3	Inner box	Master carton
3*10	110x40	38	P3100	135	335	435	535	12	24

* Telescopic handle: 800mm-1400mm.
* Xcolor options: red, yellow, light yellow, orange, black



HAND SCRATCH BRUSHES

H.001 Crimped Wire Hand Brushes

10"

Total Length	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	PP 0.5	Inner box	Master carton
255	125	30	H0010	130	330	430	650	12	120
260	125	30	H001H	130	330	430	650	12	120
300	125	30	H0013	130	330	430	650	12	120
350	125	30	H0015	130	330	430	650	12	120

* H001H: heavy duty.
* H0013, H0015: Long handle.



H.002 Crimped Wire Mini Brushes

9"

Total Length	Brush Length	Trim Length	Code	Steel 0.3	Brass coated 0.3	Stainless 0.3	PP 0.5	Inner box	Master carton
225	65	18	H0020	130	330	430	650	12	120
245	85	18	H002C	130	330	430	650	12	120

* H002C: curve back



Q.808 BBQ Grill Brushes

12"

Total Length	Brush Length	Trim Length	Code	Stainless 0.15	Brass coated 0.15	Inner box	Master carton
300	60	15	Q8080	415	515	12	120
triangle	70	15	Q7090	415	515	12	120



Q709



Abrasives



POLY ABRASIVES

PA01 Poly Abrasive Flap Disc

Dia	Width	Bore Hole	Code	Black	Blue
75	12.7	9.6	PA01.075	1	2
100	12.7	12.7	PA01.100	1	2
115	12.7	12.7	PA01.115	1	2
125	12.7	12.7	PA01.125	1	2
150	12.7	12.7	PA01.150	1	2
175	12.7	12.7	PA01.175	1	2
200	12.7	12.7	PA01.200	1	2

PA02 Poly Abrasive Flap Disc w/Arbor

Dia	Width	Arbor Hole	Code	Black	Blue	Red	Purple
100	12	22	PA02.100	1	2	3	4
115	12	22	PA02.115	1	2	3	4
125	12	22	PA02.125	1	2	3	4
150	12	22	PA02.150	1	2	3	4
175	12	22	PA02.175	1	2	3	4

PA03 Poly Abrasive Flap Disc w/Shaft

Dia	Width	Shaft	Code	Black	Blue	Red	Purple
100	12	6	PA02.100	1	2	3	4
115	12	6	PA02.115	1	2	3	4
125	12	6	PA02.125	1	2	3	4
150	12	6	PA02.150	1	2	3	4
175	12	6	PA02.175	1	2	3	4

NONWOVEN ABRASIVES

NW01 Nonwoven Flap Discs

Dia	Max RPM	Code	Aluminium Oxide				Zirconia				Ceramic			
			40	60	80	120	40	60	80	120	40	60	80	120
50	30000	NW01.050	4	6	8	0	4	6	8	0	4	6	8	0
75	25000	NW01.075	4	6	8	0	4	6	8	0	4	6	8	0

NW02 Nonwoven Sanding Discs

Dia	Max RPM	Code	Aluminium Oxide				Zirconia				Ceramic			
			40	60	80	120	40	60	80	120	40	60	80	120
50	30000	NW02.050	4	6	8	0	4	6	8	0	4	6	8	0
75	25000	NW02.075	4	6	8	0	4	6	8	0	4	6	8	0

NW03 Fiber Discs

Dia	Arbor hole	Max RPM	Code	Fiber				
				24	36	60	80	120
100	16	15300	NW03.100	2	3	6	8	0
115	22	13300	NW03.115	2	3	6	8	0
125	22	12200	NW03.125	2	3	6	8	0
180	22	8500	NW03.180	2	3	6	8	0

Others



TUBE BRUSHES

TP1 Power Tube Brushes

Dia	Shank size	Trim length	Total length	Code	Steel		Stainless	
					0.2	0.2	0.2	0.2
6	3	25	90	TP106	115		415	
8	3	25	90	TP108	115		415	
10	3	25	90	TP110	115		415	
12	3	25	90	TP112	115		415	
16	4	25	90	TP116	115		415	
19	5	25	90	TP119	115		415	
22	5	25	90	TP122	115		415	
25	6	25	90	TP125		120		420
28	6	25	90	TP128		120		420
32	6	25	90	TP132		120		420

* Item No. = Code + wire code
* Double Spiral or Nylon abrasive wire available.



TP2 Power Tube Brushes w/Male Thread

Dia	Thread	Trim length	Total length	Code	Steel	
					0.2	0.2
8	M6	100	160	TP208	115	
10	M6	100	160	TP210	115	
12	M6	100	160	TP212	115	
16	M6	100	160	TP216	115	
20	M6	100	160	TP220		120
25	M6	100	160	TP225		120

* Double spiral available.



TP3 Power Tube Brushes w/Female Thread

Dia	Thread	Trim length	Total length	Code	Steel			Stainless		
					0.2	0.2	0.3	0.2	0.2	0.3
5	M3	80	100	TP305	115			415		
8	M6	80	100	TP208	115			415		
10	M6	80	100	TP310	115			415		
12	M6	80	100	TP312	115			415		
14	M6	80	100	TP314	115			415		
16	M6	80	100	TP316	115			415		
18	M6	80	100	TP318		120			420	
20	M6	80	100	TP320		120			420	
22	M6	80	100	TP322		120			420	
25	M6	80	100	TP325		120			420	
30	1/2"	150	180	TP330			130			430
35	1/2"	150	180	TP335			130			430
40	1/2"	150	180	TP340			130			430
45	1/2"	150	180	TP345			130			430
50	1/2"	150	180	TP350			130			430
55	1/2"	150	180	TP355			130			430
60	1/2"	150	180	TP360			130			430
65	1/2"	150	180	TP365			130			430
70	1/2"	150	180	TP370			130			430



TUBE BRUSHES

TH1 Hand Tube Brushes

Dia	Shank size	Trim length	Total length	Code	PA6(black)		
					0.1	0.3	0.4
6	3	50	160	TH106	613	625	635
8	3	50	160	TH108	613	625	635
10	3	50	210	TH110	613	625	635
13	6	75	210	TH113	613	625	635
19	6	75	210	TH119	613	625	635
25	6	100	310	TH125	613	625	635
32	6	100	330	TH132	613	625	635
50	6	125	425	TH150	613	625	635




TH2 Tube Fitting Brushes

Dia	Trim length	Total length	Code	Steel		
				0.2	0.2	0.3
10	25	160	TH210	115		
13	25	160	TH213	115		
16	25	161	TH216	115		
19	25	161	TH219		120	
22	25	162	TH222		120	
26	25	162	TH226		120	
28	25	163	TH228			130
35	25	163	TH235			130
40	25	164	TH240			130



TH3 Outer Cleaning Tube Brushes

Dia	Size	Code
13	1/2"	TH301
19	3/4"	TH302
25	1"	TH303



TUBE BRUSHES

TH4 4 in 1 Tube Brushes

Specifications	Total length	Code
2"tube fitting brushes 2"outer cleaning brushes.	190	TH419





TH5 Battery Post & Terminal Cleaners

Specifications	Total length	Code
Galvanized Steel body	80	TH501
Plastic body	87	TH502
Galvanized Steel body	120	TH503



TP4 Cylinder Hone Brushes

Dia	Hone length	Total length	Code	Silicon Carbide		
				120 grit	240 grit	320 grit
10	50	200	TP410	720	724	732
11	50	200	TP411	720	724	732
12	65	200	TP412	720	724	732
14	65	200	TP414	720	724	732
18	65	200	TP418	720	724	732
20	65	200	TP420	720	724	732
22	75	200	TP422	720	724	732
25	75	200	TP425	720	724	732
28	75	200	TP428	720	724	732
32	75	200	TP432	720	724	732
38	75	200	TP438	720	724	732
42	75	200	TP442	720	724	732
45	75	200	TP445	720	724	732
50	75	200	TP450	720	724	732
55	75	200	TP455	720	724	732
60	75	200	TP460	720	724	732
65	75	200	TP465	720	724	732
70	75	200	TP470	720	724	732
75	75	200	TP475	720	724	732
80	75	200	TP480	720	724	732
85	75	200	TP485	720	724	732
90	75	200	TP490	720	724	732



CHIMNEY BRUSHES

CB1 Wire Chimney Brushes 1/4" NPT

Shape round	Code	Shape Square	Code	Shape Rect.	Code
4 3/4"	CB104R	4"x4"	CB104S		
5"	CB105R				
6"	CB106R	6"x6"	CB106S		
7"	CB107R	7"x7"	CB107S		
8"	CB108R	8"x8"	CB108S		
9"	CB109R				
10"	CB110R	10"x10"	CB110S	10"x6"	CB110T
11"	CB111R	11"x11"	CB111S	11"x7"	CB111T
12"	CB112R	12"x12"	CB112S	12"x8"	CB112T
14"	CB114R	14"x14"	CB114S	16"x12"	CB116T




CB2 Poly Chinmey Brushes 1/4" NPT

Shape round	Code	Shape Square	Code	Shape Rect.	Code
5"	CB105R				
6"	CB106R	6"x6"	CB106S		
7"	CB107R	7"x7"	CB107S		
8"	CB108R	8"x8"	CB108S		
9"	CB109R				
10"	CB110R	10"x10"	CB110S		
				11"x7"	CB111T
12"	CB112R	12"x12"	CB112S	12"x8"	CB112T
				16"x12"	CB116T



CB3 Oval Shaped Chimney Brushes

Round Equiv.	Specs.	Code		
		Poly	Fiber	H.D.
6"	4 1/2" x 6 1/4"	CB306P	CB306F	CB306H
6"	4 1/2" x 7 1/4"	CB307P	CB307F	CB307H
7"	4 1/2" x 9 1/4"	CB309P	CB309F	CB309H
7"	4 1/2" x 10 1/2"	CB310P	CB310F	CB310H
8"	4 1/2" x 11 1/2"	CB311P	CB311F	CB311H
10"	4 1/2" x 13 1/2"	CB313P	CB313F	CB313H



INDUSTRIAL BRUSHES

RB1 Abrasive Sanding Brushes

Raw size	Formed base	Formed height	Trim Length	Code	Abrasive (grit)
12.7(1/2")	4.80	5.00	13-18	RB112	80-320
22.2(7/8")	7.40	8.00	19-18	RB122	80-320
25.4(1")	8.10	9.50	22-36	RB125	80-320



RB2 Wood Finishing Abrasive Brushes

Raw size	Formed base	Formed height	Trim Length	Code	Abrasive (grit)
12.7(1/2")	4.80	5.00	13-18	RB212	80-320
22.2(7/8")	7.40	8.00	19-18	RB222	80-320
25.4(1")	8.10	9.50	22-36	RB225	80-320



RB3 Circuit Board Brushes

Raw size	Formed base	Formed height	Trim Length	Code	Abrasive (grit)
12.7(1/2")	4.80	5.00	13-18	RB312	80-320
22.2(7/8")	7.40	8.00	19-18	RB322	80-320
25.4(1")	8.10	9.50	22-36	RB325	80-320




RB4 Glass Finishing Nylon Brushes

Raw size	Formed base	Formed height	Trim Length	Code	Steel	Stainless
12.7(1/2")	4.80	5.00	13-18	RB412	0.075-0.355	0.075-0.355
22.2(7/8")	7.40	8.00	19-18	RB422	0.075-0.355	0.075-0.355
25.4(1")	8.10	9.50	22-36	RB425	0.075-0.355	0.075-0.355



INDUSTRIAL BRUSHES


RB5 Fruit Brushes



Diameter (A): 115mm - 150mm
Squire drive (D): 25.4mm



RB6 Printing & Paper Spiral Brushes



PROFESSIONAL CLEANING

RB7 Sweeping Brushes




Fill material: polypropylene (PP) or steel wire, crimped or flat.
Wire diameters: 0.45mm - 2.5 mm.
Roller diameters: 200 mm (min.) - 900 mm (max.).
Length: maximum 2,000 mm.

RB8 Sweeping Brushes



Fill material: polypropylene (PP) or steel wire, crimped or flat.
Wire diameters: 0.45mm - 2.5 mm.
Roller diameters: 200 mm (min.) - 900 mm (max.).
Length: maximum 2,000 mm.

RB9 Sweeping Sections (rings)



Sweeping sections	Min	Max
Ext. Φ	300mm	915mm
Int. Φ	2"	18"

RB10 Sweeping Brushes



length: 160mm
dia: 100mm
bore: 38mm
brass coated wire 0.3mm
use to remove rust, polishing etc.

RB11 Sweeping Brushes



length: 160mm
dia: 100mm
bore: 50mm
nylon wire 1.0mm
use to cleaning, remove rust.

RB12 Sweeping Brushes



length: 65mm
dia: 105mm
bore: 13mm
nylon wire 1.0mm
use to cleaning, remove rust.

CUSTOM BRUSHES

A full range of filaments are available,
all synthetic fibres ranging from .005" (0.13mm) to 0.180" (3mm).
All types of hairs, natural fibres, abrasives and wires available.

To custom brushes, please offer the following:

- 1. Brush Face
- 2. Core Length
- 3. Core O/Diam
- 4. Tuft Hole Diam
- 5. Brush O/Diam
- 6. Filament Material
- 7. Pitch Along
- 8. No of Rows Around

